	Application No.	Applicant(s)
Notice of Allowability	10/040,436	WATANABE ET AL.
	Examiner	Art Unit
	Andrew L. Nalven	2134
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendment received 6/28/2006</u> .		
2. The allowed claim(s) is/are <u>1-11 and 17</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements		
noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF		
INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date	6. ☐ Interview Summary Paper No./Mail Dat 08), 7. ☒ Examiner's Amendr	te

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Christopher M Tobin (Reg# 40.290) on 7 September 2006.

The application has been amended as follows:

Claim 12 is canceled.

1. Claims 1-11 and 17 are allowed.

The following is an examiner's statement of reasons for allowance:

2. The cited prior art, Shear US Patent No. 6,157,721, Apperson et al US Patent No. 5,978,484, Patel et al US Patent No. 6,438,690, Fischer US Patent No. 4,868,877, Sudia US Patent No. 5,659,616, and Bisbee et al US PGPub 2001/0002485, teach methods of providing certificates to users in response to request for certificates. The cited prior art further teaches a method of applying multiple signatures to data objects. However, the cited prior art fails to teach multi-signed public key certificates including at least a basic area and an extended area where the public key certificate is transferred

Art Unit: 2134

between a plurality of certificate authorities and the respective certificate authorities apply their own digital signature algorithm to the multi-signed public key certificate. Further, the cited prior art fails to teach first and second signatures generated by respectively applying the first and second signature algorithms to information in both the basic area and the extended area of the multi-signed certificate. As a result, the cited prior art fails to anticipate or render obvious the above-cited claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Andrew L. Nalven whose telephone number is 571 272 3839. The examiner can normally be reached on Monday - Thursday 8-6, Alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jacques Louis-Jacques can be reached on 571 272 6962. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/040,436

Art Unit: 2134

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Andrew Najven

GILBERTO BARRON JA SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2100